



<p>200 km 350 km/h 1992 6 4 1 1</p>	<p>PC(pre-cast) beam 25 m 가 2.4 m</p>	<p>가 가</p>
<p>5-2 1993 5 , 930 m</p>	<p>PSC box 3 PSC box(120 m)</p>	<p>가</p>
<p>가</p>	<p>가 가 80 m</p>	<p>()</p>
<p>1992 93 4-1 , 5-2 , 5-3</p>	<p>가</p>	<p>가</p>
<p>가</p>	<p>box</p>	<p>가</p>
<p>가 20 cm</p>	<p>(80 db</p>	<p>350 km/h</p>

章 -

가
 ,
 .
 .
 49,000 m(10,
 000 m), 7,000 m(
 400 m), cant
 3,500 (1,600),
 25 / 1,000 (10 / 1,000 m)
 가
 50 m , /
 100 m ,
 100 m
 가 300 m
 100 m
 , /
 100 m
 .
 350 km/h
 ,
 ,
 ,
 .
 PC beam
 , PSC
 가
 가 PSC 2 @40 m
 3 @25 m
 가 0.35 g (3.4 m/sec²),
 2.5/100,000 rad ,
 0.4 mm/ 3 m/m
 ,
 (±25)

10 - 5

“ . . . ”

가 ?

(Shop Drawing)

가

가 .

가 ?

가

가

가

가

가 ?

가

가 ?

11

가 . 2

가




(72 N/mm²,
 90 N/mm²)

80 m ,
 400 m

