



四面楚歌...

‘重病’

- 50% ‘ ; ’ -

, 50%
가 . 가
(2006. 4. 19) 2005
8
40% , 2006 2
30%

가 . 가
, 3 가
가 .
. 2005 8. 31

2006 2
. 2006 2
2004 1 6,915
가 , 7,082 ,
9,833 가
2004
. 2001 2003
32

		가 (가)		
	D	321	2006 3	30%
	A	2,800	2006 2	30 40%
	E	818	2006 2	30%
	M	455	2005 8	40%
가	K	436	2006 2	20%
	D	568	2005 8	80%
	S	496	2005 10	65%

(2006. 4. 19).

2006 2

(: , %)

2004. 12(A)	69,133	15,458	612	53,675	77.6
2006. 2(B)	52,218	8,376	346	43,842	84.0
(B - A)	-16,915	-7,082	-266	-9,833	

2004 2005
18 14 가
가
2002
가2004
2005
3 가
가
3
3
3
4

2004

가
(
)
40 가2001
2002
2001
2002
2003 10·29
가

2004
2006
2006 58%
56%
3
(126 , 2
9,000 가)
(148 5,000) (40
, 5,670가)
(7,900 가) (323
, 4 가)
607 1,700
11 2,424

(: , %)

1999	404,715	237,454	61,460	167,981	41.5
2000	433,488	240,985	96,936	192,503	44.4
2001	529,854	304,396	116,590	225,458	42.6
2002	666,541	376,248	159,767	290,293	43.6
2003	585,382	297,289	115,755	288,093	49.2
2004	463,800	166,260	58,122	297,540	64.2
2005	463,641	197,901	51,797	265,740	57.3
01-03 (A)	593,926	325,978	130,704	267,948	45.1
04-05 (B)	463,721	182,081	54,960	281,640	60.7
(B - A)	-130,205	-143,897	-75,745	13,692	

10%

가

